



Qingdao Rise Glass Technology Co., Ltd  
rise-glass.com



Quality conquers the world, Service achieves the future


## Shatterproof/Steel-Wire Laminated Wired Glass Used for High-Rise Buildings/Commercial Buildings/Hotel/Villa

Our Product Introduction

for more products please visit us on [rise-glass.com](http://rise-glass.com)


### Basic Information

- Place of Origin: CHINA
- Brand Name: RISE
- Certification: CE, ISO, SGS
- Model Number: Laminated Wired Glass
- Minimum Order Quantity: 1 container
- Price: USD1-99/
- Packaging Details: wooden case
- Delivery Time: 7 days
- Payment Terms: T/T, L/C, D/A, D/P, Western Union, MoneyGram
- Supply Ability: 500 Tons Per Day





### Product Specification

- Durability: High
- Shape: Round, Square, Rectangle
- Size: Customized
- Surface: Smooth
- Thickness: 2mm-6mm
- Highlight: Shatterproof Laminated Wired Glass, Commercial Buildings Laminated Wired Glass



### More Images



## Product Description


## Basic Info.

Model NO.	Laminated glass	Company Profile  we are well-known glass processing manufacturers producing different kinds of customized building glass, including tempered glass, laminated glass, insulated glass, decorative glass, etc. We offer one-stop services. Welcome to customizing your design!
Nominal Thickness	2mm	
Surface State	Floats Law Glass	
Grade	Excellent Grade	
Forming	Float Process	Product Description
Workmanship	Molding machinery	
Color	Clear	
Usage	Furniture, Door, Building, Window	
Delivery Time	15 Days	
Certificate	CE,ISO, SGS	
Payment	T/T	
Size	Customized	
Transport Package	Wooden Case	
Specification	6500*3300	
Trademark	Rise	
Origin	China	
HS Code	7003200000	
Production Capacity	20000 Square Meter/Day	
Color	upon to request	
Usage	Furniture, Door, Building, Window	
thickness	2mm,4mm,5mm,6mm,8mm,10mm,12mm,15mm,19mm	
size	upon to request	
HS Code	7003200000	
Brand	Rise	

Wire glass: a type of glass product reinforced with embedded wire mesh. It provides added strength and safety, preventing the glass from shattering into large pieces when broken. Wire glass is commonly used in fire-rated doors, windows, and other applications requiring impact resistance and fire protection.

## Detailed Photos





#### Packaging & Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

#### After Sales Service

1. Provide you with timely, professional, and efficient services in accordance with standardized service processes;
2. 7 \* 24-hour hotline telephone online service;
3. Quality issues that belong to the production process will be unconditionally resolved;

#### FAQ

**Q: What is the MOQ?**A: Generally, there is no MOQ for processed glass, but if you want to receive the best price, the bigger quantity, the better price.

**Q: Can I have a small sample to verify the quality?**A: Sure, we welcome samples to be tested and checked for quality.

**Q: Can I visit your factory?**A: Yes, we welcome all of the customers to visit our factory when you have real requirements, we will take you to each of our production lines, and discuss orders in our office.

**Q: Do you offer a guarantee for the products?**A: Yes, generally, we offer 5 years warranty for processing glass based on your normal uses, we advise you use it in the right way can keep your product's service life a long time (more than 5 years).

**Q: How do you control the quality of your products?**A: We have standard management in the factory based on the ISO

system, and train our staff regularly, our production department will choose high-quality materials for glass strictly, for finished excellent products. And we have QC for each process, once find any problem, we will replace the glass, to make sure every piece of glass go to the customer's warehouse is in good condition.

**RiSE** Qingdao Rise Glass Technology Co., Ltd



15215322121



leon@qdorglass.com



rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province