Outstanding Quality Laminated Glass Light-Fastness Heat-Resisting Misture-Proof Cold-Resisting

Basic Information

Place of Origin: CHINABrand Name: Rise

Certification: CE,ISO, SGS
Model Number: laminated glass
Minimum Order Quantity: 1 container
Price: USD1-99/
Packaging Details: wooden case
Delivery Time: 7 days

Payment Terms: T/T, L/C, D/P, Western Union, MoneyGram,

D/A

• Supply Ability: 20000 Square Meter/Day



Product Specification

Application: Building, Furniture, Etc.Package: Wooden Crate, Etc.

Size: Customized

Surface Treatment: Polished, Coated, Etc.

Thickness: 2-19mmShape: FlatStructure: Solid

• Usage: Furniture, Building, Window


Certificate: CE, ISO, SGS
 HS Code: 7007290000
 Specification: 1702mm-2800mm


 Highlight: Cold-Resisting Laminated Glass, Heat-Resisting Laminated Glass,

Misture-Proof Laminated Glass



More Images





Product Description


Basic Info.

Layer Type		Common Laminated Glass
Function		Decorative
Intermediate Film		PVB
Melting Point		High Temperature
Production		Dry Laminated Glass
Color		Clear
Usage		Furniture, Building, Window
Delivery Time		15-20 Days
HS		7005100000
PVB Color		Blue, Green, Gray, Bronze and Milk White,
PVB Thickness		0.38mm, 0.76mm, 1.14mm, 1.52mm etc
Edge Work		Flat Polished
Quality Standard		GB 15763.3-2009
Layers		Multi Layers Upon Your Request
PVB Brand		Decent, Saflex, Sentryglas
Application		Architecture, Furniture
Interlayers		PVB/EVA/Sgp/PU/Sgx/Xir
Thickness		5.38mm6.38mm/6.76mm/8.38 mm/8.76mm/10.38mm/10.76m m/
Size		According to The Client' S Requirement
Technique		Laminated
Payment		T/T
Certificate		CE,ISO, SGS
Transport Package		Wooden Case
Specification		1702 mm-2800 mm
Trademark		Rise
Origin		China
HS Code		7007290000
Production Capacity		20000 Square Meter/Day
Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm, 8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.	
Film type	PVB-Film	
Thickness of PVB	(.090")	
Interlayer	according to your requirements	

Details:

Production Capacity		20000 Square Meter/Day			
Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm, 8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.				
Film type	PVB-Film				
Thickness of PVB	0.38mm (.015"), 0.76mm (.030"), 1.14mm (.045"), 1.52mm (.060"), 2.28mm (.090")				
Interlayer	according to your requirements				
Color	High Transparent, milky, blue, dark grey, light green, bronze, etc.				
Size	Customized				
Origin	Qingdao,China				
Packing	Strong wood cases				
Production Capacity	20000000				
Delivery Time	10 days				
Usage	Building				
Brand	Rise				

Laminated glass: a durable glass product formed by bonding multiple layers with a strong interlayer. It remains intact upon breakage, reducing the risk of injury. Laminated glass also provides sound insulation and UV protection, making it ideal for windows, doors, and high-security applications.







Packaging &

Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

After Sales

Service

- 1. Provide you with timely, professional, and efficient services in accordance with standardized service processes;
- 2. 7 * 24-hour hotline telephone online service;
- 3. Quality issues that belong to the production process will be unconditionally resolved;

FAQ

Q: What is the MOQ?A: Generally, there is no MOQ for processed glass, but if you want to receive the best price, the bigger quantity, the better price. Q: Can I have a small sample to verify the quality?A: Sure, we welcome samples to be tested and checked for quality. Q: Can I visit your factory? A: Yes, we welcome all of the customers to visit our factory when you have real requirements, we will take you to each of our production lines, and discuss orders in our office. Q: Do you offer a guarantee for the products? A: Yes, generally, we offer 5 years warranty for processing glass based on your normal uses, we advise you use it in the right way can keep your product's service life a long time (more than 5 years). Q: How do you control the quality of your products? A: We have standard management in the factory based on the ISO system, and train our staff regularly, our production department will choose high-quality materials for glass strictly, for finished excellent products. And we have QC for each process, once find any problem, we will replace the glass, to make sure every piece of glass go to the customer's warehouse is in good condition.





15215322121



leon@gdcrglass.com



rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province