

# Hot Sale Customized Anti-Reflection Laminated Glass with Reasonable Price

#### **Basic Information**


Place of Origin: CHINABrand Name: Rise

Certification: CE,ISO, SGS
Model Number: laminated glass
Minimum Order Quantity: 1 container
Price: USD1-99/
Packaging Details: wooden case
Delivery Time: 7 days

• Payment Terms: T/T, L/C, D/P, Western Union, MoneyGram,

D/A

• Supply Ability: 20000 Square Meter/Day



## **Product Specification**

Durability: HighHeat Soak Test: YesMaterial: GlassSafety: Yes


Type: Tempered Over LaminatedLamination: PVB, EVA, SGP, Etc.

Shape: FlatStructure: Solid


• Usage: Furniture, Building, Window


Certificate: CE, ISO, SGS
 HS Code: 7007290000
 Specification: 1702mm-2800mm

Highlight: Customized Laminated Glass,
 Reasonable Price Laminated Glass



### More Images





#### **Product Description**

#### Basic Info.

Layer Type		Common Laminated Glass	
Function		Decorative	
Intermediate Film		PVB	
Melting Point		High Temperature	
Production		Dry Laminated Glass	
Color		Clear	
Usage		Furniture, Building, Window	
Delivery Time		15-20 Days	
HS		7005100000	
PVB Color		Blue, Green, Gray, Bronze and Milk White,	
PVB Thickness		0.38mm, 0.76mm, 1.14mm, 1.52mm etc	
Edge Work		Flat Polished	
Quality Standard		GB 15763.3-2009	
Layers		Multi Layers Upon Your Request	
PVB Brand		Decent, Saflex, Sentryglas	
Application		Architecture, Furniture	
Interlayers		PVB/EVA/Sgp/PU/Sgx/Xir	
Thickness		5.38mm6.38mm/6.76mm/8.38 mm/8.76mm/10.38mm/10.76m m/	
Size		According to The Client' S Requirement	
Technique		Laminated	
Payment		T/T	
Certificate		CE,ISO, SGS	
Transport Package		Wooden Case	
Specification		1702 mm-2800 mm	
Trademark		Rise	
Origin		China	
HS Code		7007290000	
Production Capacity		20000 Square Meter/Day	
Thickness		8mm,12.38mm,16.38mm,6.76mm, 76mm,16.76mm,20.76mm,24.76mm.	
Film type	PVB-Film		
Thickness of PVB	0.38mm (.015"), 0.76mm (.030"), 1.14mm (.045"), 1.52mm (.0 (.090")		

#### Details:

Production Capacity		20000 Square Meter/Day			
Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm, 8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.				
Film type	PVB-Film				
Thickness of PVB	0.38mm (.015"), 0.76mm (.030"), 1.14mm (.045"), 1.52mm (.060"), 2.28mm (.090")				
Interlayer	according to your requirements				
Color	High Transparent, milky, blue, dark grey, light green, bronze, etc.				
Size	Customized				
Origin	Qingdao,China				
Packing	Strong wood cases				
Production Capacity	20000000				
Delivery Time	10 days				
Usage	Building				
Brand	Rise				

Laminated glass: a resilient glass product comprising multiple layers fused together with a durable interlayer. It exhibits exceptional strength, remaining intact even when shattered. Laminated glass offers enhanced safety, security, soundproofing, and UV filtering properties, making it an ideal choice for windows, doors, and high-performance applications that prioritize protection and longevity.







Packaging & Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

After Sales

Service

- 1.Provide you with timely, professional, and efficient services in accordance with standardized service processes; 2. 7 \* 24-hour hotline telephone online service; 3.Quality issues that belong to the production process will be unconditionally resolved;

FAQ

Q: What is the MOQ?A: Generally, there is no MOQ for processed glass, but if you want to receive the best price, the bigger quantity, the better price. Q: Can I have a small sample to verify the quality A: Sure, we welcome samples to be tested and checked for quality. Q: Can I visit your factory?A: Yes, we welcome all of the customers to visit our factory when you have real requirements, we will take you to each of our production lines, and discuss orders in our office. Q: Do you offer a guarantee for the products? A: Yes, generally, we offer 5 years warranty for processing glass based on your normal uses, we advise you use it in the right way can keep your product's service life a long time (more than 5 years). Q: How do you control the quality of your products? A: We have standard management in the factory based on the ISO system, and train our staff regularly, our production department will choose high-quality materials for glass strictly, for finished excellent products. And we have QC for each process, once find any problem, we will replace the glass, to make sure every piece of glass go to the customer's warehouse is in good condition.

# Qingdao Rise Glass Technology Co., Ltd

15215322121

leon@qdcrglass.com



rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province