

# Customized Transparent Laminated Glass Made of PUB/SGP/EVA for Windows/Doors

#### **Basic Information**


Place of Origin: CHINABrand Name: Rise

Certification: CE,ISO, SGS
Model Number: laminated glass
Minimum Order Quantity: 1 container
Price: USD1-99/
Packaging Details: wooden case
Delivery Time: 7 days

• Payment Terms: T/T, L/C, D/P, Western Union, MoneyGram,

D/A

• Supply Ability: 20000 Square Meter/Day



# **Product Specification**

• Application: Building, Furniture, Automobile, Etc.

• Edge Work: Flat Edge, Polished Edge, Beveled Edge,

Etc.

Hole: Available

• Lamination: PVB, SGP, EVA, Etc.

Package: Wooden Crate, Wooden Pallet, Etc.Product Name: Tempered Over Laminated Glass

Shape: FlatStructure: Solid

• Usage: Furniture, Building, Window


Certificate: CE, ISO, SGS
 HS Code: 7007290000
 Specification: 1702mm-2800mm


• Highlight: PUB Transparent Laminated Glass,

SGP Transparent Laminated Glass, EVA Transparent Laminated Glass



# More Images





# **Product Description**

# Basic Info.


Layer Type		Common Laminated Glass
Function		Decorative
Intermediate Film		PVB
Melting Point		High Temperature
Production		Dry Laminated Glass
Color		Clear
Usage		Furniture, Building, Window
Delivery Time		15-20 Days
HS		7005100000
PVB Color		Blue, Green, Gray, Bronze and Milk White,
PVB Thickness		0.38mm, 0.76mm, 1.14mm, 1.52mm etc
Edge Work		Flat Polished
Quality Standard		GB 15763.3-2009
Layers		Multi Layers Upon Your Request
PVB Brand		Decent, Saflex, Sentryglas
Application		Architecture, Furniture
Interlayers		PVB/EVA/Sgp/PU/Sgx/Xir
Thickness		5.38mm6.38mm/6.76mm/8.38 mm/8.76mm/10.38mm/10.76m m/
Size		According to The Client' S Requirement
Technique		Laminated
Payment		T/T
Certificate		CE,ISO, SGS
Transport Package		Wooden Case
Specification		1702 mm-2800 mm
Trademark		Rise
Origin		China
HS Code		7007290000
Production Capacity		20000 Square Meter/Day
Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm, 8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.	
Film type	PVB-Film	
Thickness of PVB	(.090")	
Interlayer	according to your requirements	


# Details:

Froduction Capacity		20000 Square Meter/Day		
Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm, 8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.			
Film type	PVB-Film			
Thickness of PVB	0.38mm (.015"), 0.76mm (.030"), 1.14mm (.045"), 1.52mm (.060"), 2.28mm (.090")			
Interlayer	according to your requirements			
Color	High Transparent, milky, blue, dark grey, light green, bronze, etc.			
Size	Customized			
Origin	Qingdao,China			
Packing	Strong wood cases			
Production Capacity	20000000			
Delivery Time	10 days			
Usage	Building			
Brand	Rise			

Laminated Glass: A specialized glass product composed of two or more layers bonded together with an interlayer, providing enhanced safety, security, and sound insulation. It is widely used in architectural and automotive applications, offering protection against impact, UV radiation, and noise transmission.







Packaging &

Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

After Sales

Service

- 1. Provide you with timely, professional, and efficient services in accordance with standardized service processes;
- 2. 7 \* 24-hour hotline telephone online service;3.Quality issues that belong to the production process will be unconditionally resolved;

Q: What is the MOQ?A: Generally, there is no MOQ for processed glass, but if you want to receive the best price, the bigger quantity, the better price. Q: Can I have a small sample to verify the quality A: Sure, we welcome samples to be tested and checked for quality. Q: Can I visit your factory?A: Yes, we welcome all of the customers to visit our factory when you have real requirements, we will take you to each of our production lines, and discuss orders in our office. Q: Do you offer a guarantee for the products? A: Yes, generally, we offer 5 years warranty for processing glass based on your normal uses, we advise you use it in the right way can keep your product's service life a long time (more than 5 years). Q: How do you control the quality of your products? A: We have standard management in the factory based on the ISO system, and train our staff regularly, our production department will choose high-quality materials for glass strictly, for finished excellent products. And we have QC for each process, once find any problem, we will replace the glass, to make sure every piece of glass go to the customer's warehouse is in good condition.

# Rise Glass Technology Co., Ltd

15215322121



leon@qdcrglass.com



rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province