

CHINA

CE,ISO, SGS

USD1-99/

7 days

D/A

wooden case

20000 Square Meter/Day

laminated glass

Rise


High Quality Hot Sale Laminated Glass Safety Tempered Building Glass

T/T, L/C, D/P, Western Union, MoneyGram,

青田建設設

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 container
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Application: Building, Furniture, Etc. Color: Clear, Gray, Green, Blue, Etc. Flat, Pencil, Etc. • Edge: Glass • Material: • Packaging: Wooden Crate Flat, Curved, Etc. • Shape: Customized • Size: • Thickness: 2mm-19mm • Type: Tempered Over Laminated • Shape: Flat Solid • Structure: • Usage: Furniture, Building, Window • Certificate: CE, ISO, SGS

7007290000


7007290000



More Images

• HS Code:

• HS Code:










Product Description


Building Curved Decorative Laminated Safety Glass for Window/Fence

Basic Info.

Layer Type	Common Laminated Glass	Laminated Glass: Engineered for excellence, the premium glass product combines multiple layers unrivaled safety, security, and sound insulation. With superior impact resistance, UV protection and noise reduction properties, it is the ideal choir for architectural marvels and automotive masterpieces, ensuring peace of mind and
Function	Decorative	
Intermediate Film	PVB	
Melting Point	High Temperature	
Production	Dry Laminated Glass	
Color	Clear	comfort.
Usage	Furniture, Building, Window	
Delivery Time	15-20 Days	
HS	7005100000	
PVB Color	Blue, Green, Gray, Bronze and Milk White,	
PVB Thickness	0.38mm, 0.76mm, 1.14mm, 1.52mm etc	
Edge Work	Flat Polished	
Quality Standard	GB 15763.3-2009	
Layers	Multi Layers Upon Your Request	
PVB Brand	Decent, Saflex, Sentryglas	
Application	Architecture, Furniture	
Interlayers	PVB/EVA/Sgp/PU/Sgx/Xir	
Thickness	5.38mm6.38mm/6.76mm/8.38 mm/8.76mm/10.38mm/10.76m m/	
Size	According to The Client' S Requirement	
Technique	Laminated	
Payment	T/T	
Certificate	CE,ISO, SGS	
Transport Package	Wooden Case	
Specification	1702 mm-2800 mm	
Trademark	Rise	
Origin	China	
HS Code	7007290000	
Production Capacity	20000 Square Meter/Day	







Details:

Thickness	6.38mm,8.38mm,10.38mm,12.38mm,16.38mm,6.76mm,	
THICKIESS	8.76mm,10.76mm,12.76mm,16.76mm,20.76mm,24.76mm.	
Film type	PVB-Film	
Thickness of PVB	0.38mm (.015"), 0.76mm (.030"), 1.14mm (.045"), 1.52mm (.060"), 2.28mm (.090")	
Interlayer	according to your requirements	
Color	High Transparent, milky, blue, dark grey, light green, bronze, etc.	
Size	Customized	
Origin	Qingdao,China	
Packing	Strong wood cases	
Production Capacity	2000000	
Delivery Time	10 days	
Usage	Building	
Brand	Rise	

Packaging &

Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

After Sales

Service

