

CHINA

CE,ISO, SGS

Low-E glass

USD1-99/

7 days

D/A

wooden case

20000 Square Meter/Day


Rise

Online Low-E / Hard Coated Float Glass Supply for Buildings

T/T, L/C, D/P, Western Union, MoneyGram,

Basic Information


- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 container
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



青島讓致設護科技有限公司

Product Specification

 Application: 	Windows/Doors/Walls
Keywords:	Laminated Glass, Tempered Glass, Low-E Glass, Fire Resitance Tempered Laminated Glass, Safety GLASS
 Glass Application: 	Building, Furniture, Automotive, Etc.
• Film:	Customized
Glass Shape:	Flat, Curved, Etc.
 Sound Insulation: 	Good
 Specification: 	Cutomsized
• Shape:	Flat
Low E Coating:	Yes
 Energy Saving: 	Yes
• Usage:	Door, Building, Window
Highlight:	Online Float Glass, Hard Coated Float Glass, Buildings Float Glass



More Images





Our Product Introduction

Product Description

Layer Type	Low-E Laminated Glass
Function	Decorative
Intermediate Film	PVB
Melting Point	High Temperature
Production	Dry Laminated Glass
Color	Clear
Usage	Furniture, Building, Window
Delivery Time	15-20 Days
HS	7005100000
PVB Color	Blue, Green, Gray, Bronze and Milk White,
PVB Thickness	0.38mm, 0.76mm, 1.14mm, 1.52mm etc
Edge Work	Flat Polished
Quality Standard	GB 15763.3-2009
Layers	Multi Layers Upon Your Request
PVB Brand	Decent, Saflex, Sentryglas
Application	Architecture, Furniture
Interlayers	PVB/EVA/Sgp/PU/Sgx/Xir
Thickness	5.38mm6.38mm/6.76mm/8.38 mm/8.76mm/10.38mm/10.76m m/
Size	According to The Client' S Requirement
Technique	Laminated
Payment	T/T
Certificate	CE,ISO, SGS
Transport Package	Wooden Case
Specification	1702 mm-2800 mm
Trademark	Rise
Origin	China
HS Code	7007290000
Production Capacity	20000 Square Meter/Day
Produ	ct performance index

Square resistance Before steel After steel

8<R<10

12.5<R<15

16<R<18

27. 5<R<:

30. 5<R<36.

63<R<69 Electric heating 170<R<190 Electric heating

6.5<R<8

8<R<10.3

12<R<14

5<R<18

30<R<3

90<R<100 250<R<280

13<R<15

83

8

85

84. 5

Product application

lectric heating / thermal reflection

Electric heating / thermal re

ctric heating / thermal re

ectric heating / thermal re

Electric heating / thermal re

11. 5<R<13. 5 Electric heating / thermal reflect

Electric heating / thermal reflection

Electric heating / thermal reflection

remarks

The customer can

customize the steel rear resistance

according to the demand, which is 8-1100 (0hms / sqm),

and the squa

resistance

Low-E Glass: Engineered for energy efficiency, this glass product features a thin, transparent coating that selectively reflects heat while allowing visible light to pass through. It effectively reduces heat transfer, minimizing energy consumption for heating and cooling. With improved insulation, it creates a comfortable indoor environment and contributes to sustainable building practices.

Details:

Piece

FGA7

FGA10

FGA12 FGA15

FGA17

FGA25

thickness

2/4/5 3.2/4/5

2/4/9

3. 2/4/5

3. 2/4/3

FGA29 3. 2/4/

FGA70 3.2/4/5 FGA180 3.2/4/5

Visible light transmittance







Packaging &

Shipping

Laminated Tempered Glass 6.38/10.38/16/12 /13.52 mm Low Iron Polished Edge Tempered Laminated Glass

After Sales

Service

1. Provide you with timely, professional, and efficient services in accordance with standardized service processes; 2. 7 * 24-hour hotline telephone online service;

3. Quality issues that belong to the production process will be unconditionally resolved;

FAQ

Q: What is the MOQ?A: Generally, there is no MOQ for processed glass, but if you want to receive the best price, the bigger quantity, the better price. **Q:** Can I have a small sample to verify the quality?A: Sure, we welcome samples to be tested and checked for quality. **Q:** Can I visit your factory?A: Yes, we welcome all of the customers to visit our factory when you have real requirements, we will take you to each of our production lines, and discuss orders in our office. **Q:** Do you offer a guarantee for the products?A: Yes, generally, we offer 5 years warranty for processing glass based on your normal uses, we advise you use it in the right way can keep your product's service life a long time (more than 5 years). **Q:** How do you control the quality of your products?A: We have standard management in the factory based on the ISO system, and train our staff regularly, our production department will choose high-quality materials for glass strictly, for finished excellent products. And we have QC for each process, once find any problem, we will replace the glass, to make sure every piece of glass go to the customer's warehouse is in good condition.





leon@qdcrglass.com 📀 rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province