




## Tempered Laminated Safety Glass Custom Sizes And Colors For Any Application

Our Product Introduction


### Basic Information

- Place of Origin: China
- Brand Name: Rise
- Certification: CE
- Model Number: L-06
- Minimum Order Quantity: 1 crates
- Packaging Details: Wooden Crates Worthy for Ocean and Land Carriage
- Delivery Time: 15 Works Day
- Payment Terms: T/T, Western Union, MoneyGram, D/P
- Supply Ability: 8000SQM/DAY




### Product Specification

- Highlight:
  - Custom Sizes Tempered Laminated Safety Glass
  - , Any Application Tempered Laminated Safety Glass
  - , Custom Colors Tempered Laminated Safety Glass



### More Images



for more products please visit us on [rise-glass.com](http://rise-glass.com)

**Product Description**

# Colored Laminated Glass

**GLASS THICKNESS**

Total thickness: 6.38-17.52mm etc.

Max size:3660\*2550mm

Other regular size:1650\*2140/2440, 1830\*2440, 2000\*2440, 3300\*2140/2250/2440/2550,3660\*2140/2250/2440/2550mm etc.

**GLASS COLORS**


Blue: Sky Blue, Lake Blue, Ford Blue, Dark Blue, Royal Blue;

Bronze: Dark Bronze, Euro Bronze;

Green: Dark Green, French Green ;

Grey: Dark Grey, Euro Grey, Mist Grey, Century Grey;

Pink etc.



## Product Details

**GLASS DESCRIPTION**

Two or three layers of clear float glass "sandwiched" together with clear or colored PVB interlayer, laminated glass is the one glass that reconciles the aesthetic benefits of glass with a genuine concern for safety;

offering superior protection against glass breakage, as well as harmful solar rays and hazardous noise levels.

Due to the adhesive properties of the PVB, Rider takes careful precautions to prevent unwanted particles from attaching to the PVB during the adhesion process.

**GLASS THICKNESS DETAILS**

3+0.38pvb+3mm; 4+0.38pvb+3mm;

5+0.38pvb+5mm; 6+0.38pvb+6mm;

3+0.76pvb+4mm; 4+0.76pvb+4mm;

5+0.76pvb+5mm; 6+0.76pvb+6mm etc.

**PVB COLORS**

- Milky White

- French Green

- Light Blue

- Bronze

- Light Grey

- Dark Grey
- Ocean Blue etc.

#### **PVB THICKNESS**

0.38mm, 0.76mm, 1.14mm, 1.52mm etc.

#### **HOT SIZE**

1650\*2140/2440, 1830\*2440, 2000\*2440, 3300\*2140/2250/2440/2550, 3660\*2140/2250/2440/2550mm etc.

#### **MAX SIZE**

3660\*2550mm, other specifications and sizes can be customized according to customers' requirements.

#### **QUALITY CERTIFICATION**

AS/NZS 2208:1996; EN 14449:2006; EN ISO 12543:012 etc.

#### **BENEFITS**

Holds together when shattered. The PVB interlayer keeps the glass bonded, even when broken, resulting in a characteristic spider web cracking pattern across the glass.

Cyclone resistant

Superior UV blockage

Excellent sound damping properties

Low visible distortion

#### **APPLICATIONS**

External use of windows, doors, shopfronts in offices, houses, shops etc.

Interior glass screens, partitions, balustrades etc.

Shop display windows, showcases, display shelves etc.

Furniture, table-tops, picture frames etc.

**RiSE** Qingdao Rise Glass Technology Co., Ltd



15215322121



leon@qdcrglass.com



rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province