


Tempered Laminated Safety Glass with Surface Treatment

Our Product Introduction

for more products please visit us on rise-glass.com


Basic Information

- Place of Origin: CHINA
- Brand Name: RISE
- Certification: CE, ISO, SGS
- Model Number: Deep processed glass
- Minimum Order Quantity: 1 container
- Price: USD1-99/SQM
- Packaging Details: wooden case
- Delivery Time: 14 days
- Payment Terms: T/T, L/C, D/A, D/P, Western Union, MoneyGram
- Supply Ability: 500 Tons Per Day




Product Specification

- Surface Treatment: Frosted, Acid Etched, Etc.
- Thickness: 6.38mm-12.38mm
- Warranty: 3 Years
- Product Name: Tempered Laminated Safety Glass
- Edge Work: Polished, Beveled, Etc.
- Lamination: PVB, SGP, EVA, Etc.
- Max. Size: 2440mm*3660mm
- Min. Size: 300mm*300mm
- Highlight: Surface Treatment Laminated Safety Glass,
Surface Treatment Safety Glass,
Surface Treatment Tempered Laminated Safety Glass



More Images



Product Description

Product Description:

Rise laminated glass is formed as a sandwich of 2 sheets of glass, between which is bonded together with a tough and thermoplastic polyvinyl butyral (PVB) interlayer under heating and pressure. Rise make the laminated glass with various combinations as clear and/or tinted float glass, clear and/or colored PVB film to meet any specialized request and application. We have the full series of equipment to make the glass laminated as Flat, Bending, Curved and Tempered, also the Bullet Proof glass etc..

Laminated Glass Benefits

Avoids potential cuts and injuries as a result of broken glass (for example used in doors, table tops, shower screens etc).

Laminated glass: assembled using a single plastic film.

Basic protection

Provides protection against the risk of injuries due to accidental breakage (for example windows or patio doors)

Laminated glass: assembled using two or more plastic films. enhanced protection

Provides protection against a change in level and objects falling on to or penetrating the glass.

The pieces of glass stay in place, stuck to the plastic interlayers, until a replacement arrives. Safety glass for safe breakage or overhead glazing can be combined with other glass functions for additional comfort: security, thermal insulation, acoustic insulation, low-maintenance and decorative glass.

Packing and Shipping:

Product Packaging:

The tempered laminated safety glass will be packed in strong wooden crates with foam cushioning to prevent any damage during shipping.

The crates will be labeled with the product name, size, and quantity for easy identification.

The packaging will be done in accordance with industry standards to ensure safe transportation and delivery.

Shipping:

The tempered laminated safety glass will be shipped via a trusted and reliable shipping carrier.

The shipping cost will be calculated based on the destination, weight, and size of the product.

The shipping time will vary depending on the destination and shipping method chosen.

Customers will be provided with a tracking number to track their shipment and receive updates on the delivery status.

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is RISE.

Q: What is the model number of this product?

A: The model number of this product is Deep processed glass.

Q: Where is this product made?

A: This product is made in China.

Q: What certifications does this product have?

A: This product has CE, ISO, and SGS certifications.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 1 container.

Q: What is the price range for this product?

A: The price range for this product is USD1-99/SQM.

Q: How is this product packaged?

A: This product is packaged in wooden cases.

Q: What is the delivery time for this product?

A: The delivery time for this product is 14 days.

Q: What are the payment terms for this product?

A: The payment terms for this product are T/T, L/C, D/A, D/P, Western Union, and MoneyGram.

Q: What is the supply ability for this product?

A: The supply ability for this product is 500 Tons Per Day.

