

Factory Price Toughed PVB Film Laminated Building Safety Glass

Our Product Introduction

for more products please visit us on rise-glass.com

Basic Information

- Place of Origin: CHINA
- Brand Name: RISE
- Certification: CE, ISO, SGS
- Model Number: Deep processed glass
- Minimum Order Quantity: 1 container
- Price: USD1-99/
- Packaging Details: wooden case
- Delivery Time: 7 days
- Payment Terms: T/T, L/C, D/A, D/P, Western Union, MoneyGram
- Supply Ability: 500 Tons Per Day



Product Specification

- Shape: Flat/Curved
- Interlayer: PVB/EVA/SGP
- Edge Processing: Polished, Beveled, Or Flat
- Customization: Available
- Safety: High
- Interlayer Thickness: 0.38mm/0.76mm/1.14mm/Customized
- Application: Windows/Doors/Railings/Facades/Skylights
- Edge Type: Flat/Polished/Beveled/Chamfered
- Highlight: **Factory Price Building Safety Glass, Building Safety Glass, PVB Film Laminated Glass**



More Images




Product Description

Product Description:

Max.size of Flat TG	2-8mm: 2400×3600mm/10-12mm: 2400×4200mm/15-19mm:2400×4500mm
Max.size of Bent TG	4-15mm:2400×1500mm
Radius	4 ~ 6mm R ≥ 480mm/8 ~ 12mm R ≥ 800mm/15mm and above R ≥ 1500mm
Thickness	2mm/3mm/4mm/ 5mm/ 6mm/8mm/ 10mm/12mm/ 15mm/ 19mm etc.
Color	Clear/Ultra clear/Euro bronze/ Golden bronze/Blue/ Ocean blue/ Dark blue / Light blue/F green/ Light green/ Dark green/Euro Grey/ Dark grey.
Product Range	Low-E/Tempered/ Insulated/ Laminated/Reflective glass etc
Application	External use of windows, doors in offices, houses and shops etc. Interior glass screens, partitions, balcony shower Room etc. Shop display windows, showcases, display shelves etc. Furniture, table-tops etc. Green house pooling fence etc.
Payment	30% TT before production,70% balance before loading
Delivery Time	1-2 weeks after received the deposit

Applications:

Laminated Glass is a type of safety glass that holds together when shattered. In the event of breaking, it is held in place by an interlayer, typically of polyvinyl butyral (PVB), between its two or more layers of glass. The interlayer keeps the layers of glass bonded even when broken, and its high strength prevents the glass from breaking up into large sharp pieces. This produces a characteristic "spider web" cracking pattern when the impact is not enough to completely pierce the glass.



Packing and Shipping:

Our professionally trained warehouse staff ensures that your glass is safely loaded so that it reaches its destination in the same perfect condition in which it left our production facility. We are constantly evolving our packing and loading techniques to ensure easier off-loading, minimal breakage, and other safeguards to combat seasonal changes in climate.

1. Interlay paper between two sheets
2. Seaworthy wooden crates
3. Iron/Plastic belt for consolidation

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is RISE.

Q: What is the model number of this product?

A: The model number of this product is Deep processed glass.

Q: What is the place of origin of this product?

A: The place of origin of this product is CHINA.

Q: What certifications does this product have?

A: This product has certifications from CE, ISO, and SGS.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 1 container.

Q: What is the price range of this product?

A: The price range of this product is USD1-99/ .

Q: What are the packaging details for this product?

A: The packaging details for this product are wooden case.

Q: What is the delivery time for this product?

A: The delivery time for this product is 7 days.

Q: What are the payment terms for this product?

A: The payment terms for this product are T/T, L/C, D/A, D/P, Western Union, and MoneyGram.

Q: What is the supply ability of this product?

A: The supply ability of this product is 500 Tons Per Day.

 Qingdao Rise Glass Technology Co., Ltd

 15215322121

 leon@qdcrglass.com

 rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province