

China Manufacturers Supply Laminated Tempered Glass

Basic Information

• Place of Origin: China,qingdao • Brand Name: **Rise Glass** • Certification: CE CSI SGCC L-01 • Model Number: • Minimum Order 1 Crate Quantity: 6USD/SQM • Price: • Packaging Details: Wooden Crates Worthy for Ocean and Land Carriage • Delivery Time: 15 Days • Payment Terms: payment By T/T at sight. • Supply Ability: 8000SQM/DAY




s the future

青島讓致設講科技有限公司

Product Specification


| Interlayer: | PVB, SGP, EVA |
|-----------------------|---|
| Function: | Safety |
| Product Feature: | Safety, Sound Insulation, UV Proofing |
| Interlayer Thickness: | 0.38-3.04mm |
| • Material: | Glass |
| Edge Work: | Polished, Beveled, Etc. |
| Scratch Resistance: | High |
| Highlight: | China Manufacturers Laminated Tempered Glass |



, China Laminated Tempered Glass

More Images





Product Description:

Our Tempered Laminated Glass is made by sandwiching a layer of thermally-tempered glass between two layers of clear or tinted glass. The result is a product that is much stronger than traditional annealed glass and is less prone to breakage or shattering. This makes it an ideal choice for applications where safety is a primary concern, such as in high traffic areas or near children.

In addition, our Tempered Laminated Glass has excellent heat insulation properties, making it an ideal choice for use in windows, skylights, and other applications where temperature control is important. It is also available in a variety of styles, including tinted glass laminated, frosted, and acid-etched, to suit your specific needs and preferences.

When it comes to surface quality, our Tempered Laminated Glass is second to none. It features a smooth, clear surface that is free from bubbles, scratches, and other imperfections. The edges of the glass can be finished in a variety of ways, including flat, C-pencil, beveled, and more, to suit your specific needs and preferences.

Overall, if you are looking for a glass product that offers exceptional durability, safety, and heat insulation properties, our Tempered Laminated Glass is the perfect choice. With its superior strength, smooth surface, and variety of styles, it is sure to meet all of your needs and exceed your expectations.

Laminated Glass Benefits:

Avoids potential cuts and injuries as a result of broken glass (for example used in doors, table tops, shower screens etc). Laminated glass: assembled using a single plastic film.

Basic protection

Provides protection against the risk of injuries due to accidental breakage (for example windows or patio doors) Laminated glass: assembled using two or more plastic films. enhanced protection Provides protection against a change in level and objects falling on to or penetrating the glass.

The pieces of glass stay in place, stuck to the plastic interlayers, until a replacement arrives. Safety glass for safe breakage or overhead glazing can be combined with other glass functions for additional comfort: security, thermal insulation, acoustic insulation, low-maintenance and decorative glass.

Although tempered glass is considered as a kind of safety glass, when it is used at high altitude, the "particle rain" formed by the falling debris after its destruction will cause a certain degree of damage to the human body. Therefore, the advantages of laminated glass are greater than tempered glass when it is used at high altitude, and it is widely used in building curtain walls, doors and windows, canopies, awnings, indoor partitions, etc.

Applications:

- A) External use of windows, doors, shopfronts in offices, houses, shops etc.
- B) Interior glass screens, partitions, balustrades etc.
- C) Shop display windows, showcases, display shelves etc.
- D) Furniture, table-tops, picture frames etc.

Customization:

| Brand | Teckson Glass | |
|------------------|--|--|
| Name | Laminated Glass | |
| Thickness | 5.38mm6.38mm/6.76mm/8.38mm/8.76mm/10.38mm/10.76mm/12.38mm/12.76mm etc | |
| PVB thickness: | 0.38mm, 0.76mm, 1.14mm, 1.52mm etc. | |
| PVB color | Blue, Green, Gray, Bronze and Milk white, etc. | |
| Normal Sizes(mm) | 1830x2440mm, 2134x3300mm, 2440x3660 or according to the client's requirement | |
| Quality Standard | CE, SGS,ISO | |
| Application | architecture, furniture | |
| MOQ | 1*20 FCL | |
| Package | Wooden Crates or Plywood Cartons | |



Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province