



Qingdao Rise Glass Technology Co., Ltd
rise-glass.com

Rise
QINGDAO RISE GLASS TECHNOLOGY CO., LTD

Quality conquers the world, Service achieves the future


6.38/8.38/10.38/12.38 mm Edge Polished Clear or Colored Safety Laminated Glass

Our Product Introduction

for more products please visit us on rise-glass.com

Basic Information

- Place of Origin: China,qingdao
- Brand Name: Rise Glass
- Certification: CE CSI SGCC
- Model Number: L-01
- Minimum Order Quantity: 1 Crate
- Price: 6USD/SQM
- Packaging Details: Wooden Crates Worthy for Ocean and Land Carriage
- Delivery Time: 15 Days
- Payment Terms: payment By T/T at sight.
- Supply Ability: 8000SQM/DAY




Product Specification

- Lamination Type: PVB/SGP/EVA
- Safety Type: Laminated
- Interlayer Thickness: 0.38mm, 0.76mm, 1.14mm, 1.52mm, 2.28mm, 3.04mm
- Hole: Round, Oblong, Etc.
- Edge Type: Flat, Polished, Beveled, Seamed
- Material: Glass
- Certifications: CE,SGCC,CSI..
- Customizable Design: Can Be Customized With Patterns Or Logos
- Applications: Skylights, Balustrades, Facades, Windows, Doors, Etc.
- Highlight: 10.38 mm Laminated Safety Glass,
8.38 mm Laminated Safety Glass,
12.38 mm Laminated Safety Glass



More Images



Product Description

Product Description:

1) Safety

As the PVB glue is very toughness when the laminated glass is broken as a result of external force ,the PVB glue coat will absorb a great deal of the impact energy and make it die away quickly ,consequently the PVB sandwich coat very difficult to be punctured and the glass can be maintained in the frame entirely and brings somewhat shading effect even if it suffers from cracks under the impact .viewed from such aspect , the laminated glass is real safety glass.

2) Sound Insulation

Because PVB glue processes a highly strong blockage effect to sound waves , the sound waves obviously weakened when passing the laminated glass , reducing the noise interference suffered by work occasions or household living.

3) UV Proofing

Having a highly good proofing effect to UV rays (the proofing ratio is higher than 99%)the valuable indoor furniture ,exhibits, arts and other artcles from fading as a result of influence of the UV rays.

4) Application

With unique characteristics ,the laminated glass is widely adopted in artcles and occasions such as buildings grating ,aloft grounds ,high-rank curtain walls windows and doors, furniture ,show windows, aquarium.

5) Product Type

Common transparent glass , main body colored laminated glass, coated laminated glass ,tempered laminaated glass , curved laminated glass.

PVB Colors:

1. Milky White
2. French Green
3. Light Blue
4. Bronze
5. Light Grey
6. Dark Grey
7. Ocean Blue etc.

Various colors as per clients request

Laminated Glass Benefits:

Avoids potential cuts and injuries as a result of broken glass (for example used in doors, table tops, shower screens etc).

Laminated glass: assembled using a single plastic film.

Basic protection

Provides protection against the risk of injuries due to accidental breakage (for example windows or patio doors)

Laminated glass: assembled using two or more plastic films. enhanced protection

Provides protection against a change in level and objects falling on to or penetrating the glass.

The pieces of glass stay in place, stuck to the plastic interlayers, until a replacement arrives. Safety glass for safe breakage or overhead glazing can be combined with other glass functions for additional comfort: security, thermal insulation, acoustic insulation, low-maintenance and decorative glass.

Applications:

- A) External use of windows, doors, shopfronts in offices, houses, shops etc.
- B) Interior glass screens, partitions, balustrades etc.
- C) Shop display windows, showcases, display shelves etc.
- D) Furniture, table-tops, picture frames etc.

Customization:

| | |
|------------------|--|
| Brand | Teckson Glass |
| Name | Laminated Glass |
| Thickness | 5.38mm/6.38mm/6.76mm/8.38mm/8.76mm/10.38mm/10.76mm/12.38mm/12.76mm etc |
| PVB thickness: | 0.38mm, 0.76mm, 1.14mm, 1.52mm etc. |
| PVB color | Blue, Green, Gray, Bronze and Milk white, etc. |
| Normal Sizes(mm) | 1830x2440mm, 2134x3300mm, 2440x3660 or according to the client's requirement |
| Quality Standard | CE, SGS,ISO |
| Application | architecture, furniture |
| MOQ | 1*20 FCL |
| Package | Wooden Crates or Plywood Cartons |

Qingdao Rise Glass Technology Co., Ltd

 15215322121  leon@qdcrglass.com  rise-glass.com

Tianzhi Building, No. 63 Beijing Road, Huangdao District, Qingdao City, Shandong Province